




WWW.NELZISKATERAMPS.it

Catalogo 2006






Misure

X: min. 2600 mm.(moduli da 1300 mm.)

Y: 3700 mm.

Z: 1200 mm.






Misure

X: min. 3900 mm.(moduli da 1300 mm.)

Y: 4000 mm.

Z: 1600 mm.






Misure

X: min. 2600 mm.(moduli da 1300 mm.)

Y: 3500 mm.

Z: 1200 mm.






Misure

X: min. 3900 mm.(moduli da 1300 mm.)

Y: 4500 mm.

Z: 1500 mm.






Misure

X: min. 2600 mm.(moduli da 1300 mm.)

Y: 6000 mm.

Z: 600 mm.





Misure


X: 4600 mm. (moduli da 1300 mm.)

Y: 6000 mm.

Z: 600 mm.



Curb esteso - Cod_C001




Misure

Y: 6000 mm.

Z: 1000 mm.

Curb dritto - Cod_C002




Misure

Y: 2000 mm.

Z: 1000 mm.



Curb obliquo - Cod_C003




Misure

Y: 4000 mm.

Z: 1000 mm.

2 gradini - Cod_C004




Misure

Y: 2500 mm.

Z: 1000 mm.



Rail alto - Cod_R001




Misure

Y: 4000 mm.

Z: 1200 mm.

Spessore: 60 mm.

Rail alto - Cod_R002



Misure


Y: 4000 mm.

Z: 1200 mm.

Spessore: 200 mm.



Rail metallo esteso - Cod_R003




Misure

Profilato in acciaio 60x60 mm.

Y: 4000 mm.

Z: 400 mm.

Rail metallo dritto - Cod_R004




Misure

Profilato in acciaio 60x60 mm.

Y: 2000 mm.

Z: 400 mm.






Misure

X: 2600 mm.

Y: 2500 mm.

Z: 650 mm.





Misure


X: 1200 mm.

Y: 2500 mm.

Z: 250 mm.



Rail dritto - Cod_R005




Misure

Profilato in acciaio 60x60 mm.

Y: 3000 mm.

Z: 400 mm.

manual pad - Cod_M002




Misure

X: 1200 mm.

Y: 2500 mm.

Z: 250 mm. min

fun pad - Cod_M003




Misure

X: 2400 mm.

Y: 5000 mm.

Z: 250 mm. min





Misure

X: 6500 mm. (moduli da 1300 mm.)


Y: 10000 mm.

Z: 1200 mm.



Mini half-pipe

Cod_MR002




Misure

X: 6500 mm. (moduli da 1300 mm.)

Y: 10000 mm.

Z: 1400 mm.






Misure

X: 6500 mm. (moduli da 1300 mm.)

Y: 10000 mm.

Z: 1600 mm.





Misure

X: 6500 mm. (moduli da 1300 mm.)

Y: 20000 mm.

Z: 1400 mm.

